

MATHEMATICAL TRIPOS Part III

Thursday 3 June, 2004 1.30 to 4.30

PAPER 4

PRO- p GROUPS

*Attempt **THREE** questions.*

*There are **five** questions in total.*

The questions carry equal weight.

**You may not start to read the questions
printed on the subsequent pages until
instructed to do so by the Invigilator.**

1 Define an *inverse system* and an *inverse limit* of topological spaces.

Prove that inverse limits exist and are unique.

Hence explain why the two definitions of a profinite group are equivalent i.e. if G is a topological group then G is compact and totally disconnected if and only if G is an inverse limit of finite groups (state results from topology as required).

Let G be a profinite group and let p be a prime. For N an open normal subgroup of G denote by $\mathcal{P}(N)$ the set of Sylow p -subgroups of G/N . By considering a suitable inverse system of finite sets show that G has a closed subgroup P such that $PN/N \in \mathcal{P}(N)$ for every open normal subgroup N . Show that P is a maximal pro- p subgroup of G (i.e. if Q is another pro- p subgroup of G and $P \leq Q$ then $P = Q$).

2 Define a *topological group*. Prove the following results.

(i) Every open subgroup of a topological group is closed.

(ii) The closure of any subgroup of a topological group is also a subgroup.

(iii) Every open subgroup of a profinite group has finite index and contains an open normal subgroup.

(iv) Every open subgroup of a finitely generated profinite group is finitely generated.

Let G be a d -generator pro- p group. Show that every generating set for G contains a subset of size at most d that generates G . (Results about the Frattini subgroup of G can be used without proof but should be clearly stated.)

3 Let G be a finite p -group for p an ODD prime and N a subgroup of G . Explain what it means to say that N is *powerfully embedded* in G and that G is *powerful*.

Prove that if N is powerfully embedded in G then N^p is powerfully embedded in G , and $\langle N, x \rangle$ is powerful for any $x \in G$. (You may use the fact that if M is powerfully embedded in G modulo $[M, G, G]$ then M is powerfully embedded in G .) Define the *lower p -series* $G_1 \geq G_2 \geq G_3 \geq \dots$ of G , and prove that if G is powerful and $G = \langle a_1, \dots, a_n \rangle$ then the following results hold.

(i) For each $i \geq 1$, G_i is powerfully embedded in G and $G_{i+1} = G_i^p = \Phi(G_i)$.

(ii) The map $x \mapsto x^p$ induces a homomorphism from G/G_2 onto G_2/G_3 .

(iii) Every element of G^p is a p -th power in G , and $G^p = \langle a_1^p, \dots, a_n^p \rangle$.

(iv) For each $i \geq 1$, $G_{i+1} = \langle a_1^{p^i}, \dots, a_n^{p^i} \rangle$.

(v) $G = \langle a_1 \rangle \langle a_2 \rangle \dots \langle a_n \rangle$.

Conversely show that if G is a product of cyclic groups then G is powerful.

4 Let p be an ODD prime and G a finitely generated powerful pro- p group. Explain what it means to say that G is *uniform* and prove that G is uniform if and only if it is torsion-free.

Given G a uniform pro- p group define the intrinsic Lie algebra L_G . Now define a powerful Lie algebra L and explain how to define a uniform pro- p group $(L, *)$.

Show that the assignments $G \mapsto L_G$ and $L \mapsto (L, *)$ satisfy the following:

(a) $L_{(L,*)} = L$

(b) $(L_G, *) = G$.

5 Write an essay describing the proof of the linearity of uniform pro- p groups.